ELSEVIER

Volumes 253–254, Numbers 1–2, 20 May 1997

Journal of
ALLOYS
AND COMPOUNDS

Contents

New compounds, new materials

Ti-doped alkali metal aluminium hydrides as potential novel reversible hydrogen storage materials 1
B. Bogdanović, M. Schwickardi (Mülheim an der Ruhr, Germany)

Synthesis of novel compounds by hydrogen combustion 10
S.K. Dolukhanyan (Yerevan, Armenia)

Synthesis and structure determination of complex zinc hydrides. Part 4: Trirubidium and tricaesium tetrahydridozincate(II) hydride, Rb_3ZnH_5 and Cs_3ZnH_5 13
M. Bortz (Genève, Switzerland), A. Hewat (Grenoble, France), K. Yvon (Genève, Switzerland)

Orthorhombic $Ba_6Mg_7H_{26}$: a new fluoride-related ternary alkaline earth hydride 17
F. Gingl (Genève, Switzerland), A. Hewat (Grenoble, France), K. Yvon (Genève, Switzerland)

Hydrogen absorption and modulated structure in Ti–V–Mn alloys 21
H. Iba (Aichi, Japan), E. Akiba (Ibaraki, Japan)

Hydrogenation of fullerenes C_{60} and C_{70} in the presence of hydride-forming metals and intermetallic compounds 25
B.P. Tarasov, V.N. Fokin, A.P. Moravsky, Yu.M. Shul'ga (Chernogolovka, Russia), V.A. Yartys (L'viv, Ukraine)

Effects of nonmetal addition on hydriding properties for Ti–Mn Laves phase alloys 29
Y. Morita, T. Gamo, S. Kuranaka (Osaka, Japan)

Characterization and hydriding properties of Mg-graphite composites prepared by mechanical grinding as new hydrogen storage materials 34
H. Imamura, N. Sakasai, T. Fujinaga (Ube, Japan)

Synthesis and transformations of hydrides under high quasihydrostatic pressures 38
V.N. Verbetsky, E.A. Movlaev (Moscow, Russia)

High pressure hydride phases formation in Ti_2Ni- and $MoSi_2$-type intermetallic compounds 41
S.N. Klyamkin, K.N. Semenenko (Moscow, Russia)

Thin films, superlattices

Yttrium and lanthanum hydride films with switchable optical properties 44
R. Griessen, J.N. Huiberts, M. Kremers, A.T.M. van Gogh, N.J. Koeman, J.P. Dekker (Amsterdam, The Netherlands), P.H.L. Notten (Eindhoven, The Netherlands)

Metallic superlattices: quasi two-dimensional playground for hydrogen 51
B. Hjörvarsson, G. Andersson, E. Karlsson (Uppsala, Sweden)

Thickness dependence of the hydrogen solubility in epitaxial Nb(110) films grown on Al_2O_3(11.0) substrates 58
A. Abromeit, R. Siebrecht, G. Song, H. Zabel (Bochum, FRG), F. Klose, D. Nagengast, A. Weidinger (Berlin, FRG)

Electron emission at the surface of metal tritide films 62
N.P. Kherani, W.T. Shmayda, J.M. Perz, K.G. McNeill, S. Zukotynski (Toronto, Canada)

Analysis of hydrogen in Nb thin films and Nb/Cu multilayers, using ion beams 66
S. Yamamoto, H. Naramoto, Y. Aoki (Gunma, Japan)

Elsevier Science S.A.

Nanocrystalline, icosahedral and amorphous materials

Nanocrystalline metal hydrides 70
L. Zaluski, A. Zaluska, J.O. Ström-Olsen (Montréal, Canada)

Cooperative hydriding properties in a nanostructured Mg_2Ni–H system 80
H. Fujii, S. Orimo, K. Ikeda (Higashi-Hiroshima, Japan)

Hydrogen in nanocrystalline palladium 84
H. Natter, B. Wettmann, B. Heisel, R. Hempelmann (Saarbrücken, Germany)

Nanocrystalline hydrogen storage alloys for rechargeable batteries 87
H. Kronberger (Wien, Austria)

Hydrogen absorption in an icosahedral ZnMgY alloy 90
A.P. Tsai (Tsukkuba, Japan), A. Niikura (Sendai, Japan), K. Aoki (Hokkaido, Japan), T. Masumoto (Sendai, Japan)

Hydriding properties of a nano-/amorphous-structured Mg–Ni–H system 94
S. Orimo, H. Fujii, K. Ikeda, Y. Fujikawa (Higashi-Hiroshima, Japan), Y. Kitano (Matsue, Japan)

Hydrogen-induced resistivity increase in amorphous and metastable crystalline (Fe,Co,Ni)–Zr ribbons 98
J. Tóth, I. Bakonyi, K. Tompa (Budapest, Hungary)

Hydrogen absorbing and desorbing properties of Nd–Fe–B and Nd–Co–B amorphous alloys 101
K. Tanaka, Y. Hayashi, M. Kimura, M. Yamada (Nagoya, Japan)

Hydrogen-induced amorphization of C15 Laves $TbFe_2$ compound 106
K. Aoki, K. Mori, H. Onodera, T. Masumoto (Sendai, Japan)

Hydrogen-induced amorphization of YNi_2 enhanced by mechanical grinding 110
K. Funaki, S. Orimo, H. Fujii (Higashi-Hiroshima, Japan)

Electrical resistance change during hydrogen charging and discharging in $Ni_{67-x}Cu_xZr_{33}$ glassy alloys 114
J. Garaguly, A. Lovas, K. Tompa, J. Takács (Budapest, Hungary)

Structure of hydrogenated amorphous $Ni_{56}Dy_{44}$ 118
M. Nuding, P. Lamparter, S. Steeb (Stuttgart, Germany), R. Bellissent (Gif-sur-Yvette, France)

The role of hydrogen in materials processing, embrittlement, hydrogen detection

Hydrogen in hard magnetic materials 121
D. Fruchart, M. Bacmann, P. de Rango, O. Isnard, S. Liesert, S. Miraglia (Grenoble, France), S. Obbade (Villeneuve d'Asq, France), J.-L. Soubeyroux (Grenoble, France), E. Tomey (Pau, France), P. Wolfers (Grenoble, France)

Desorption characteristics of rare earth (R) hydrides (R = Y, Ce, Pr, Nd, Sm, Gd and Tb) in relation to the HDDR behaviour of R–Fe-based-compounds 128
V.A. Yartys (Lviv, Ukraine), O. Gutfleisch (Birmingham, UK), V.V. Panasyuk (Lviv, Ukraine), I.R. Harris (Birmingham, UK)

Further studies of hydrogenation, disproportionation, desorption and recombination processes in a $Nd_5Fe_2B_6$ boride 134
V.A. Yartys (Lviv, Ukraine), O. Gutfleisch, I.R. Harris (Birmingham, UK)

The hydrogenation–disproportionation–desorption–recombination process of $Nd_2Fe_{14}B$ studied by in-situ neutron diffraction and thermomagnetic measurements 140
S. Liesert, D. Fruchart, P. de Rango, J.L. Soubeyroux (Grenoble, France)

Hydrogen influence on plastic deformation mechanism of β-titanium alloys of Ti–Nb system 144
A.A. Ilyin, M.Yu. Kollerov, I.S. Golovin (Moscow, Russia)

Alloy development to minimize room temperature hydrogen embrittlement in iron aluminides 148
R. Balasubramaniam (Kanpur, India)

Hydrogen in the martensitic DIN 1.4914: a review 152
A. Perujo, E. Serra, S. Alberici, S. Tominetti, J. Camposilvan (Ispra, Italy)

Hydrogen detection by prompt gamma-ray activation analysis (PGAA) 156
M. Crittin, J. Jolie, J. Kern, S.J. Mannanal (Fribourg, Switzerland), R. Schwarzbach (Villigen-PSI, Switzerland)

Phase diagrams

Observation of the $\beta-\delta$ phase transformation in deuterated iodide titanium films by electrical resistance measurements 158
F. Cuevas, J.F. Fernández, C. Sánchez (Madrid, Spain)

Hydrogen solubility limits in α- and β-zirconium 162
D. Khatamian, V.C. Ling (Chalk River, Canada)

Solubility of hydrogen and deuterium in bcc uranium–titanium alloys 167
G.L. Powell, J.R. Kirkpatrick (Oak Ridge, TN, USA)

The phase diagrams of β-RH_{2+x} systems (R = La, Ce, Tb). Results of mean-field calculations 171
I.G. Ratishvili, P. Vajda (Palaiseau, France)

Deuterium absorption in $Pd_{0.9}Y_{0.1}$ alloy 175
P.A. Poyser, M. Kemali, D.K. Ross (Salford, UK)

Deformations induced by high loading ratios in palladium–deuterium compounds 181
A. De Ninno, A. La Barbera, V. Violante (Rome, Italy)

Material characteristics and behaviour of highly deuterium loaded palladium by electrolysis 185
N. Asami, T. Senjuh, H. Kamimura, M. Sumi, E. Kennel, T. Sakai, K. Mori, H. Watanabe, K. Matsui (Hokkaido, Japan)

Thermodynamics, thermal analysis

Thermodynamic theory of magnetic field effects on chemical equilibria and applications to metal–hydrogen systems 191
M. Yamaguchi, I. Yamamoto, F. Ishikawa (Yokohama, Japan), T. Goto (Tokyo, Japan), S. Miura (Sendai, Japan)

Analysis of FeTi hydride alloys by thermal analysis, small angle neutron scattering and positron annihilation 195
P.J. Hall, L.E.A. Berlouis, A.J. Mackinnon (Glasgow, UK), J. Wilson, D. Browning, S. Dodd, S. Morris, P. Jones (Gosport, UK), J.M. Calo (Providence, RI, USA)

Ti-based laves phase hydrides with high dissociation pressures 201
S.V. Mitrokhin, V.N. Verbetsky (Moscow, Russia)

Hysteresis in metal–hydrogen systems 203
R. Balasubramaniam (Kanpur, India)

The decomposition of electrochemically loaded palladium hydride: a thermal analysis study 207
L.E.A. Berlouis, P.J. Hall, A.J. MacKinnon, A.W. Wark, D. Manuelli, V. Gervais, J.E. Robertson (Glasgow, UK)

Calorimetric study of hydrogen interaction with $LaNi_{3.92}Al_{0.98}$ 210
T.V. Ivanova, R.A. Sirotina, V.N. Verbetsky (Moscow, Russia)

Thermodynamic properties for solution of hydrogen in Pd–Pt–Rh ternary alloys 212
Y. Sakamoto, K. Ohira, M. Kokubu (Nagasaki, Japan), T.B. Flanagan (Burlington, VT, USA)

p-c-t Isotherms

The effect of cycling through the hydride phase on isotherms for fcc Pd-rich alloys 216
T.B. Flanagan, D. Wang, H. Noh (Burlington, VT, USA)

Pressure–composition measurements and microstructural analysis of the Laves phases $Zr(Cr_{0.5}Mo_{0.2}M_{0.3})_2$ with M = Fe, Co, Ni 221
M. Bououdina, P. de Rango, D. Fruchart, J.L. Soubeyroux (Grenoble, France)

Split plateaux in the $LaNi_5$–H system and the effect of Sn substitution on splitting 226
S. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), R.C. Bowman Jr. (Pasadena, CA, USA), J.S. Cantrell (Oxford, OH, USA)

Hydrogenation and phase structure of Ti–Fe–V alloys 232
H. Miyamura (Shiga, Japan), T. Sakai, N. Kuriyama, H. Tanaka, I. Uehara, H. Ishikawa (Osaka, Japan)

Hydrogen absorption and desorption isotherms in the solid solution regions of the $LaNi_5$–H system 235
H. Uchida, M. Sato, O. Moriwaki (Kanagawa, Japan)

Hydrogenation characteristics of $TiFe_{1-x}Pd_x$ ($0.05 \leq x \leq 0.30$) alloys 238
I. Yamashita (Chuo Wako Saitama, Japan), H. Tanaka, H. Takeshita, N. Kuriyama, T. Sakai, I. Uehara (Osaka, Japan)

Crystal structure and dynamics

Neutron scattering studies of the structure and dynamics of rare-earth hydrides and deuterides 241
T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), Q. Huang (Gaithersburg and College Park, MD, USA), I.S. Anderson (Grenoble, France)

Incoherent inelastic neutron scattering from the C-15 Laves phase $ZrTi_2H_{3.6}$ 248
J.F. Fernandez, M. Kemali, D.K. Ross (Salford, UK)

Neutron spectroscopy of localized modes in $CeD_{2-x}H_y$ 252
P. Vorderwisch, S. Hautecler (Berlin, Germany), J. Eckert (Los Alamos, NM, USA)

Vibrational dynamics of hydrogen and deuterium in crystalline Pd_9Si_2 255
T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), T.B. Flanagan, H. Noh (Burlington, VT, USA), Y. Andersson (Uppsala, Sweden)

Structure and microdomain structure of ordered niobium hydrides and deuterides by means of neutron scattering 258
B. Hauer (Jülich and Saarbrücken, Germany), R. Hempelmann (Saarbrücken, Germany), T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), W. Kockelmann, E. Jansen, W. Schäfer, D. Richter (Jülich, Germany)

Hydrogen in aluminum 260
H.K. Birnbaum, C. Buckley, F. Zeides, E. Sirois, P. Rozenak (Urbana, IL, USA), S. Spooner, J.S. Lin (Oak Ridge, TN, USA)

Neutron diffraction study of atomic bonding properties in the hydrogen-absorbing $Zr(Al_xFe_{1-x})_2$ system 265
A. Israel, I. Jacob (Beer Sheva, Israel), J.L. Soubeyroux, D. Fruchart (Grenoble, France), H. Pinto, M. Melamud (Beer Sheva, Israel)

Powder X-ray diffraction under a high-pressure hydrogen atmosphere for Zr–Cr based Laves phase alloys 268
S. Kuranaka, T. Gamo, Y. Morita (Osaka, Japan)

Structural and magnetic study of new YFe_2D_x compounds ($0 < x \leq 3.5$) 272
V. Paul-Boncour, L. Guénée, M. Latroche, M. Escorne, A. Percheron-Guégan (Meudon, France), Ch. Reichl, G. Wiesinger (Wien, Austria)

The interaction of oxygen (nitrogen) with hydrogen in Ti, V and Ta 275
V.V. Sumin, Ch. Gantulga (Moscow, Russia)

Neutron powder diffraction investigations of pure and deuterated $Ti_3PO_{0.58}$ 279
Y. Andersson, T. Larsson, R. Tellgren (Uppsala, Sweden)

Neutron diffraction study of deuterium ordering in C15 type TaV_2D_x ($x > 1$) in the temperature range of 1.5–295 K 282
P. Fischer (Villigen-PSI, Switzerland, F. Fauth (Villigen-PSI, Switzerland and Grenoble, France), A.V. Skripov, A.A. Podlesnyak (Ekaterinburg, Russia), L.N. Padurets, A.L. Shilov (Moscow, Russia), B. Ouladdiaf (Grenoble, France)

The hydride fluoride crystal structure database, HFD 286
F. Gingl, L. Gelato, K. Yvon (Genève, Switzerland)

Interstitial site occupation in α-$LaNi_5$-H studied by deep inelastic neutron scattering 291
E. MacA. Gray (Brisbane, Australia), M. Kemali (Salford, UK), J. Mayers, J. Norland (Didcot, UK)

In situ neutron diffraction study of solid gas desorption of non-stoichiometric AB_5 type hydrides 295
M. Latroche (Meudon, France), P.H.L. Notten (Eindhoven, The Netherlands), A. Percheron-Guégan (Meudon, France)

About hydrogen insertion in $ThMn_{12}$ type alloys 298
S. Obbade (Villeneuve d'Ascq and Grenoble, France), D. Fruchart, M. Bououdina, S. Miraglia, J.L. Soubeyroux, O. Isnard (Grenoble, France)

Study of the system $Zr_{1-x}Ti_x(Cr_{0.5}M_{0.4}V_{0.1})_2 - H_2$ ($0 \leq x \leq 0.2$, M = Fe, Co, Ni) 302
M. Bououdina, P. Menier, J.L. Soubeyroux, D. Fruchart (Grenoble, France)

Distribution of hydrogen atoms in YPd_3H_x studied by neutron diffraction and inelastic neutron scattering 308
S. Yamaguchi, M. Ohashi, T. Kajitani (Sendai, Japan), K. Aoki (Kitami, Japan), S. Ikeda (Tsukuba, Japan)

Synthesis and crystal structure of tetragonal $LnMg_2H_7$ (Ln = La, Ce), two Laves phase hydride derivatives having ordered hydrogen distribution 313
F. Gingl, K. Yvon (Genève, Switzerland), T. Vogt (Long Island, NY, USA), A. Hewat (Grenoble, France)

Neutron diffraction study of $HoFe_{11}TiD_x$ deuterides 318
A. Apostolov, R. Bezdushnyi, N. Stanev, R. Damianova (Sofia, Bulgaria), D. Fruchart, O. Isnard, J.L. Soubeyroux (Grenoble, France)

Electronic structure

Alloying effect on the electronic structures of hydrogen storage compounds 322
H. Yukawa, M. Moringa, Y. Takahashi (Aichi, Japan)

Electronic structure investigation of the A_2PtH_4 hydrides (A = Na, K) containing $[PtH_4]$ complexes 326
E. Orgaz, M. Gupta (Orsay, France)

Internal pressure effect in the series of perovskite structure hydrides: $APdH_3$ (A = Sr,Eu,Yb) 330
E. Orgaz, V. Mazel, M. Gupta (Orsay, France)

Electric and magnetic properties

The effect of hydrogen uptake on the Hall resistivity and the electrical resistivity of gadolinium films 333
D.E. Azofeifa, N. Clark (San José, Costa Rica)

Magnetic properties of the $LaNi_5$–H system 336
T.P. Blach, E. MacA. Gray (Brisbane, Australia)

^{119}Sn Mössbauer study of Mn_3SnH_x 339
G. Grosse, F.E. Wagner (Garching, Germany), V.E. Antonov, T.E. Antonova (Moscow, Russia)

Hydrogen absorption–desorption, crystal structure and magnetism in RENiAl intermetallic compounds and their hydrides . . . 343
A.V. Kolomiets, L. Havela (Prague, Czech Republic and Luiv, Ukraine), V.A. Yartys (Lviv, Ukraine), A.V. Andreev (Prague, Czech Republic)

Hydrogen-induced change of the magnetic coupling in Nb/Fe multilayers 347
D. Nagengast, Ch. Rehm, F. Klose, A. Weidinger (Berlin, Germany)

High field magnetization of metal hydrides under hydrogen pressure 350
F. Ishikawa, I. Yamamoto, M. Yamaguchi (Yokohama, Japan), M.I. Bartashevich (Tokyo, Japan and Ekaterinburg, Russia), T. Goto (Tokyo, Japan)

Hydrogen diffusion, tunneling, trapping, mobility

Mössbauer experiments with ^{57}Fe and ^{57}Co in palladium hydride: Diffusional relaxation and high hydrogen concentrations . . 353
M. Baier, G.F. Schneider, F.E. Wagner (Garching, Germany), I. Dugandžić, H.J. Bauer (München, Germany), V.E. Antonov, T.E. Antonova (Chernogolovka, Russia)

Hopping and tunnelling of H(D) in semiconductors 356
G. Cannelli (Cosenza, Italy), R. Cantelli, M. Capizzi, F. Cordero, A. Frova, E. Giovine, F. Trequattrini (Roma, Italy)

Reorientation of the Ce–D pairs in a $Pd_{95}Ce_5D_n$ alloy 360
B. Coluzzi, A. Biscarini, R. Campanella, G. Floridi, F.M. Mazzolai (Perugia, Italy), Y. Sakamoto (Nagasaki, Japan), F.A. Lewis (Belfast, UK)

Investigation of interaction of hydrogen with solute atoms by means of internal friction and diffusion data 364
M.S. Blanter (Moscow, Russia)

Hydrogen and oxygen motion in yttrium by anelastic relaxation measurements 367
G. Cannelli (Arcavacata di Rende, Italy), R. Cantelli, F. Cordero, F. Trequattrini, A. Sermoneta (Roma, Italy)

Hydrogen permeability and diffusivity in amorphous Metglas 2826MB under AC excitation 370
S.L.I. Chan (Taipei, Taiwan, ROC), C.I. Chiang (Lung-Tan, Taiwan, ROC)

Hopping rates of H(D) bound to heavy interstitials in Ta as investigated by mechanical spectroscopy at MHz frequencies . . . 374
L. Di Masso, A. Biscarini, B. Coluzzi, F.M. Mazzolai (Perugia, Italy)

Hydrogen-diffusion in $Pd_{1-x}Ag_x$ ($0 \leq x \leq 1$) 378
L. Opara, B. Klein, H. Züchner (Münster, Germany)

Hydrogen transport parameters for a cobalt based alloy 381
M.R. Shanabarger (Santa Barbara, CA, USA)

A study of hydrogen diffusion in hexagonal YH_x single crystals ($x \leq 0.10$) by mechanical spectroscopy 386
B. Kappesser, H. Wipf (Darmstadt, Germany), R.G. Barnes, B.J. Beaudry (Ames, IA, USA)

Hydrogen diffusion in multi-phase LaNiFe alloys 390
N. Mommer, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

An investigation of hydrogen diffusion in nanocrystalline Pd by neutron spectroscopy 393
U. Stuhr, T. Striffler, H. Wipf (Darmstadt, Germany), H. Natter, B. Wettmann, S. Janssen, R. Hempelmann (Saarbrücken, Germany), H. Hahn (Darmstadt, Germany)

Characterising materials for walls of fusion reactors 397
A.K. Altunoglu, N.S.J. Braithwaite (Oxford, UK)

Correlation of mass dependence between heat of transport and effective charge of hydrogen isotopes in V, Nb and Ta 401
M. Sugisaki, K. Hashizume, K. Fujii (Fukuoka, Japan)

Muon spectroscopy, NMR, NQR

Modelling of hydrogen behavior in metals by muons 406
A. Schenck (Villigen-PSI, Switzerland)

Muonium states and dynamics as a model for hydrogen in semiconductors 414
S.F.J. Cox (Chilton and London, UK), R.L. Lichti (Chilton, UK and Lubbock, TX, USA)

Trapped muon in heavily dislocated palladium 420
M. Kemali, D.K. Ross (Salford, UK), S.P. Cottrel (Didsot, UK)

Muon spin relaxation in niobium-hydrogen 423
J. Lam, X. Zhang, R.L. Havill, J.M. Titman (Sheffield, UK)

Measuring distributions of jump rates in disordered metal–hydrogen systems by nuclear magnetic relaxation 425
L. Hua, X. Zhang, J.M. Titman (Sheffield, UK)

High temperature ^1H spin–spin relaxation in Zr–Ni–Cu–H amorphous alloys 428
K. Tompa, P. Bánki, C. Hargitai, G. Lasanda, A. Lovas, L.K. Varga (Budapest, Hungary)

Localized motion of hydrogen in C15-type TaV_2: nuclear magnetic resonance and neutron scattering study 432
A.V. Skripov (Ekaterinburg, Russia), J.C. Cook (Grenoble, France), C. Karmonik, R. Hempelmann (Saarbrücken, Germany)

Nuclear magnetic resonance studies of hydrogen diffusion in the layer-structured system $ZrClH_x$ 435
M. Stoll, U. Kaess, G. Majer (Stuttgart, Germany), R.G. Barnes (Ames, IW, USA)

Systematics of the anomalous high-temperature ^{45}Sc spin–lattice relaxation in scandium hydrides and deuterides 441
M. Jerosch-Herold (Minneapolis, MN, USA), D.R. Torgeson, R.G. Barnes (Ames, IA, USA)

Hydrogen hopping rates and the order–disorder transitions in sub-stoichiometric lanthanum trihydride 445
R.G. Barnes, B.J. Beaudry, D.R. Torgeson (Ames, IA, USA), C.T. Chang (College Station, TX, USA), R.B. Creel (Akron, OH, USA)

Nuclear quadrupolar relaxation in metal–hydrogen systems 449
R.G. Barnes (Ames, IA, USA), L.M. Cameron (Armidale, Australia), M. Jerosch-Herold (Minneapolis, MN, USA), C.A. Sholl (Armidale, Australia)

Surface science and interface effects

Surface properties of the fluorinated La-incorporated Ti/Zr-based AB_2 laves phase alloys 452
F.-J. Liu, H. Ota, S. Okamoto, S. Suda (Tokyo, Japan)

Ion bombardment induced segregation effects in VD_x studied by SIMS and SNMS 459
J. Scholz, H. Züchner (Münster, Germany), H. Paulus, K.-H. Müller (Soest, Germany)

Hydrogen (deuterium) bonding properties in ZrV_2D_x studied by SIMS and SNMS 463
F. Loheide, J. Scholz, H. Züchner (Münster, Germany)

The influence of hydrogen on the growth of yttrium on Ni(001) and Ni(110) 467
D. Naumović, P. Spatz, J. Hayoz, P. Aebi, L. Schlapbach (Fribourg, Switzerland)

Hydrogen diffusion in oxides formed on surfaces of zirconium alloys 471
D. Khatamian (Chalk River, Canada)

Effects of catalyst poisons on UPD and OPD H coverage at H_2-evolving cathodes in relation to H sorption into metals 475
B.E. Conway, J.H. Barber, L. Gao, S.Y. Qian (Ottawa, Canada)

Hydrogen adsorption on Pt and Rh electrodes and blocking of adsorption sites by chemisorbed sulfur 481
A. Zolfaghari, F. Villiard, M. Chayer, G. Jerkiewicz (Québec, Canada)

XPS and transmission electron microscopy of the multicomponent hydride-forming alloys for electrochemical applications . . . 488
V.D. Dobrovolsky, Yu.M. Solonin, V.V. Skorokhod, O.Yu. Khizhun (Kiev, Ukraine)

Microstructural characterisation of surface layers of ZrM_2 powders (Laves phases) obtained by various corrosion treatments . . 492
M. Backhaus-Ricoult, J.L. Vignes, G. Lorang (Vitry, France), B. Knosp (Marcoussis, France)

Surface phenomena in the process of vanadium hydride formation 496
R. Duś, E. Nowicka, Z. Wolfram (Warszawa, Poland)

Fluorination mechanism and its effects on the electrochemical properties of metal hydrides 500
M. Sakashita, Z.P. Li, S. Suda (Tokyo, Japan)

H_2 dissociative adsorption on palladium hydride and titanium hydride surfaces: Evidence for weakly bound state of hydrogen adatoms 506
E. Nowicka, R. Duś (Warszawa, Poland)

Hydrogen absorption of $LaNi_5$ powders precovered with O_2, CO, H_2S, CO_2 or N_2 511
F. Schweppe, M. Martin, E. Fromm (Stuttgart, Germany)

Hydrogen adsorption of metal nickel and hydrogen storage alloy electrodes 515
X. Gao, J. Liu, S. Ye, D. Song, Y. Zhang (Tianjin, China)

Studies on the properties and characteristics of the fluorinated AB_5 hydrogen-absorbing electrode alloys 520
Y.-M. Sun, K. Iwata, S. Chiba, Y. Matsuyama, S. Suda (Tokyo, Japan)

Effect of alkaline pretreatment on the initial activation of $LaNi_5$ and $LaNi_{2.5}Co_{2.5}$ in the H_2 gas and electrochemical reactions 525
H.-H. Uchida, K. Moriai, K. Aoyama, H. Kondo, H. Uchida (Kanagawa, Japan)

Reaction kinetics

Kinetics and mechanisms of metal hydrides formation—a review 529
J. Bloch, M.H. Mintz (Beer-Sheva, Israel)

A new approach to the kinetics of $LaNi_5$–H_2(g) systems based on impedance spectroscopy analysis 542
P. Millet, P. Dantzer (Orsay, France)

Effect of HF pretreatment on H_2 reactivity with $LaNi_5$ and $LaNi_{4.7}Al_{0.3}$ 547
H. Uchida, T. Inoue, T. Tabata, S. Seki, H.H. Uchida (Kanagawa, Japan), F. Aono, T. Nakazawa (Tokyo, Japan), H. Kikuyama, R. Hirayama (Osaka, Japan)

Experimental analysis and modelling of the hydriding kinetics of Ni-doped and pure Mg 550
G. Friedlmeier, M. Groll (Stuttgart, Germany)

Kinetics of hydride formation in massive $LaAl_{0.25}Ni_{4.75}$ samples 556
Z. Haberman, J. Bloch, M.H. Mintz, I. Jacob (Beer Sheva, Israel)

Kinetics of water vapour absorption on evaporated iron and titanium films 560
Á. Szőkefalvi-Nagy, E. Fromm (Stuttgart, Germany)

Electrochemical cells I: host alloy, capacity

Electrochemical performances of ZrM_2 (M = V, Cr, Mn, Ni) Laves phases and the relation to microstructures and thermodynamical properties 564
J.-M. Joubert, D. Sun, M. Latroche, A. Percheron-Guégan (Meudon, France)

Development of AB_5 type hydrogen storage alloys with low Co content for rechargeable Ni–MH batteries with respect to electric vehicle applications 570
F. Lichtenberg, U. Köhler (Kelkheim, Germany), A. Fölzer (Treibach, Austria), N.J.E. Adkins (Stoke-on-Trent, UK), A. Züttel (Fribourg, Switzerland)

Gas-phase H_2 absorption and microstructural properties of $LaNi_{5-x}Ge_x$ alloys 574
C. Witham, R.C. Bowman Jr, B. Fultz (Pasadena, California, USA)

Function of cobalt in AB_5H_x electrodes 579
G.D. Adzic, J.R. Johnson, S. Mukerjee, J. McBreen, J.J. Reilly (Upton, NY, USA)

Vanadium-based solid solution alloys with three-dimensional network structure for high capacity metal hydride electrodes . . . 583
M. Tsukahara, K. Takahashi, T. Mishima, A. Isomura (Aichi, Japan), T. Sakai (Osaka, Japan)

Structural- and hydriding-properties of the $Zr(V_{0.25}Ni_{0.75})_\alpha$ $(1 \leq \alpha \leq 4)$ alloy system 587
A. Züttel, D. Chartouni, K. Gross, M. Bächler, L. Schlapbach (Fribourg, Switzerland)

Preparation and electrochemical properties of unidirectionally solidified $Ml(NiCoMnTi)_5$ alloys 590
Y.Q. Lei (Zhejiang, China), Y. Zhou (Beijing, China), Y.C. Luo, X.G. Yang, Q.D. Wang (Zhejiang, China)

Gas atomized powders of hydride-forming alloys and their application in rechargeable batteries 594
Yu.M. Solonin, V.V. Savin, S.M. Solonin, V.V. Skorokhod, L.L. Kolomiets, T.I. Bratanich (Kiev, Ukraine)

Electrochemical activity enhancement of a $LaNi_{4.7}Al_{0.3}$ electrode treated with an alkaline solution containing H_2O_2 598
N. Kuriyama, T. Sakai, H. Miyamura, H. Tanaka, H.T. Takeshita, I. Uehara (Osaka, Japan)

The hydrogenation characteristics of Ti-Zr-V-Mn-Ni C14 type Laves phase alloys for metal hydride electrodes 601
H.-H. Lee, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

Electrode characteristics of metal hydride electrodes prepared by mechanical alloying 605
C.B. Jung, K.S. Lee (Seoul, South Korea)

Correlation between crystal structure and electrochemical properties of C14 Laves-phase alloys 609
H. Nakano (Shizuoka, Japan), S. Wakao (Tokyo, Japan), T. Shimizu (Nagoya, Japan)

Hydriding behavior of gas-atomized AB_5 alloys 613
R.C. Bowman Jr., C. Witham, B. Fultz, B.V. Ratnakumar (Pasadena, CA, USA), T.W. Ellis, I.E. Anderson (Ames, IA, USA)

Experimental study of electrochemical deuterium loading of Pd cathodes in the $LiOD/D_2O$ system 617
T. Senjuh, H. Kamimura, T. Uehara, M. Sumi, S. Miyasita (Sapporo, Japan), T. Sigemitsu (Osaka, Japan), N. Asami (Sapporo, Japan)

Effects of the materials processing on the hydrogen absorption properties of $MmNi_5$ type alloys 621
K. Yasuda (Saitama, Japan)

Relationship between composition, volume expansion and cyclic stability of AB_5-type metalhydride electrodes 626
A. Züttel, D. Chartouni, K. Gross, P. Spatz, M. Bächler (Fribourg, Switzerland), F. Lichtenberg (Kelkheim, Germany), A. Fölzer (Treibach, Austria), N.J.E. Adkins (Stoke-on-Trent, UK)

Electrochemical cells II: electrodes, cyclic behavior

The recent research, development and industrial applications of metal hydrides in the People's Republic of China 629
Q.D. Wang, C.P. Chen, Y.Q. Lei (Zhejiang, P.R. China)

The state of research and development for applications of metal hydrides in Japan 635
I. Uehara, T. Sakai, H. Ishikawa (Osaka, Japan)

The influence of Co and various additives on the performance of $MmNi_{4.3-x}Mn_{0.33}Al_{0.4}Co_x$ hydrogen storage alloys and Ni/MH prismatic sealed cells 642
J.M. Cocciantelli (Bordeaux, France), P. Bernard (Marcoussis, France), S. Fernandez, J. Atkin (Bordeaux, France)

Influence of preparation methods of non-stoichiometric hydrogen-absorbing alloys on the performance of nickel–metal hydride secondary batteries 648
N. Higashiyama, Y. Matsuura, H. Nakamura, M. Kimoto, M. Nogami, I. Yonezu, K. Nishio (Osaka, Japan)

New activation process for Zr-Ti-Cr-Mn-V-Ni alloy electrodes: The hot-charging treatment 652
J.-H. Jung, H.-H. Lee, D.-M. Kim, B.-H. Liu, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

An impedance model for electrode processes in metal hydride electrodes 656
L.O. Valøen, S. Sunde, R. Tunold (Trondheim, Norway)

Investigation of AB_5 type hydrogen storage alloy corrosion behavior in alkaline electrolyte solutions 660
M. Yamamoto, M. Kanda (Kawasaki, Japan)

Metal hydride electrodes with lamellar-type network structure 665
H. Yoshinaga, M. Wada (Kyoto, Japan), T. Sakai, H. Miyamura, N. Kuriyama, I. Uehara (Osaka, Japan)

Hydrogen gas applications

A pressure–temperature swing process for the methanation of carbon oxides using fluorinated hydriding alloys 668
S. Suda, K. Iwata, Y.-M. Sun, Y. Komazaki, F.-J. Liu (Tokyo, Japan)

Thermodynamic properties of metal hydrides for a novel heat pump configuration 673
G.G. Libowitz (Morristown, NJ, USA), K.T. Feldman Jr., C. Stein (Albuquerque, NM, USA)

Characteristics of heat–hydrogen gas energy conversion and hydrogen gas transportation using hydrogen absorbing alloy 677
H. Takeda, T. Kabutomori, Y. Wakisaka, K. Ohnishi (Hokkaido, Japan)

Influence of expansion of metal hydride during hydriding–dehydriding cycles 682
T. Saito, K. Suwa, T. Kawamura (Chiba-ken, Japan)

Hydride-based cold-start heater for automotive catalyst 686
P.M. Golben, D. DaCosta, G. Sandrock (Ringwood, NJ, USA)

A tubular reactor for continuous hydrogenation of oleic acid under moderate conditions using a thin hydride layer of hydrogen storage alloy $LaNi_{4.8}Cu_{0.2}$ as catalyst 689
G. Zhu, Y. Lei, Q. Wang, X. Yang (Zhejiang, P.R. China)

Thermodynamic and structural changes of various intermetallic compounds during extended cycling in closed systems 692
M. Wanner, G. Friedlmeier, G. Hoffmann, M. Groll (Stuttgart, Germany)

Preparation and properties of metal matrix hydride compacts via the rotary forging compaction route 698
D.B. Willey, A.J. Williams, I.R. Harris (Birmingham, UK)

Author Index of Volumes 253–254 705

Subject Index of Volumes 253–254 709

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.